





A/V & Digital Home





GW4KHDKIT60

Ultra Long Range 4K @ 60Hz Video Extender

- Up to 4K x 2K @ 60Hz resolution
- Transmission range up to 600 ft.
- Wireless 5 GHz dedicated connection with WPA-2 personal encryption
- Supports IR signal to control source device from your display
- Plug-n-Play solution
- HDMI 2.0, HDCP 2.2

GW4KHDKIT30


Ultra Long Range 4K @ 30Hz Video Extender

- Up to 4K x 2K @ 30Hz resolution
- Transmission range up to 600 ft.
- Wireless 5 GHz dedicated connection with WPA-2 personal encryption
- Supports IR signal to control source device from your display
- Plug-n-Play solution
- HDMI 1.4, HDCP 1.3



4K Video Source

600ft.)))



Receive your content up to 600ft away

600ft




GWLRHDTX/GWLRDVITX/GWLRVGATX

Ultra Long Range Wireless HDMI/DVI/VGA Transmitter

GWLRHDRX/GWLRDVIRX/GWLRVGARX

Ultra Long Range Wireless HDMI/DVI/VGA Receiver

- Mix and match transmitters and receivers with different connectors (HDMI/DVI/VGA)
- Transmit High Definition video and audio up to 600ft
- Supports resolutions of up to 1080p @ 60fps
- Supports Infrared (IR) Remote signal transmission to control source device
- Ideal for digital signage and applications where A/V signals need to be transmitted long distances such as restaurants, retail stores, airports, houses of worship, concerts, sporting events and venues
- Plug-n-Play solution





GWHDKITD **75ft**

Wireless HDMI TV Connection Kit with Dongle

- Extends video wirelessly up to 75 ft.
- Supports resolutions up to 1080P @ 60Hz
- HDMI 1.3 and HDCP 1.2.
- Plug-n-Play
- Dedicated 5GHz wireless solution, does not connect to your existing wireless network
- Ideal solution for sharing PC content wirelessly at home, at the office and in the classroom



GWHDKIT11 **150ft**

Wireless HDMI TV Connection Kit

- Extends video wirelessly up to 150 ft.
- Supports resolutions up to 1080P @ 60Hz
- HDMI 1.3 and HDCP 1.2.
- Plug-n-Play
- Dedicated 5GHz wireless solution, does not connect to your existing wireless network



GWMHDKIT22 **150ft**

Expandable Wireless HDTV Connection Kit

- Expandable up to 10 TVs to 10 selectable HDMI sources
- No wireless network required
- H.264 Compression technology
- Full High Definition video 1080P at up to 150 ft.
- HDMI 1.3 and HDCP 1.2.



50ft 

GWSSKIT

Wireless Screen Sharing and Miracast Kit

- Wireless media streaming from your PC to an HDTV, HD projector or HD Display
- Send video and audio wirelessly up to 50ft (15m)
- Full HD 1080p video resolution playback support
- Ideal solution for sharing PC content wirelessly at home, at the office and in the classroom



GWAVRTX

Wireless Mobile and PC to HDTV Transmitter



GWAVRB

Wireless Mobile and PC to HDTV Receiver



Windows 7 & Windows 8

OR



Android 4.2 & Windows 10



Receive your content up to 50ft away

Powerline A/V




984ft

GPLHDPROK/GPLHDPROK2/
GPLHDPROK3/GPLHDPROK4

HDMI Over Powerline PRO Kit with 1/2/3/4 Receivers

- Transmits High Definition video and audio up to 984ft (300m) over your home's existing power outlets
- Supports High Definition video resolutions of up to 1080p@60fps
- Local HDMI out on transmitter
- Transmitter can send HDMI signal to 4 receivers simultaneously
- Supports IR remote signal transmission to control source device



Note:
1. Additional receivers (Part# GPLHDXR) sold separately. Add up to 3 receivers (for a total of 4) to each kit.
2. This product requires an electrical power environment where the electrical wiring is on the same power phase (100-240V AC grid).



Extender / Splitter / Switch



GHMS8422
2x2 4K Matrix Switch

- Supports computer and video resolutions up to 4K
- HDMI (3D, Deep Color, 4k); HDCP 1.4 Compatible
- Supports long distance transmission at a distance up to 15 meters
- Max. Data Rate 10.2 Gbps (3.4 Gbps Per Lane)



GHSP8422B/GHSP8424B
2/4-Port 4K HDMI Splitter

- Supports resolutions of up to Ultra HD 4K x 2K and 1080p Full HD
- Supports Dolby True HD and DTS HD Master Audio
- Long distance transmission – up to 15 m (24 AWG)
- Supports up to 340MHz bandwidth for high performance video



GDPSP2MST
2-Port 4K DisplayPort Splitter MST

- Supports resolutions up to 4096 x 2160 @ 60Hz
- DP++ Plug and Play set up
- Data rate 10.8 Gbps (5.4 Gbps per lane)
- DisplayPort 1.2a, HDCP 1.3
- Entry-Level with great value



GDPSP2
2-Port 4K DisplayPort Splitter SST/MST

- Supports resolutions up to 4096 x 2160 @ 60Hz
- Supports DP 1.2a, HDCP 1.3
- Supports MST Extend Mode and SST/ Split Mode
- Supports High Bit Rate 2



GVE440
DisplayPort HDBaseT-Lite
Extender

- Supports resolutions up to 4096 x 2160 @ 30Hz
- Range up to 130 ft. over Cat6 cable
- Video signal interference protection
- HDBaseT Connectivity – extends an HDMI connection over a long distance via one Cat 5e/6/6a cable
- Maximum data rate 10.2Gbps (3.4Gbps per lane)



GVE340
HDBaseT HDMI Extender
with RS-232 and IR Support

- HDBaseT Connectivity – extends an HDMI connection over a long distance via one Cat 5e/6/6a cable
- Supports resolutions up to 4096 x 2160 @ 60Hz
- POH (Power over HDBaseT) – supplies power from Transmitter to Receiver over a long distance via one Cat 5e/6/6a cable
- Bi-directional RS-232 channel



GHWSW8441/GHSW8481
True 4K 4-port and 8-port
HDMI Switch

- Ultra High quality True 4K at 4096 x 2160 @ 60Hz
- Auto switch on/off output
- Supports HDMI 2.0 and DHCP 2.2
- IR/RS-232 control
- Firmware upgradable



GHDSW4K4
4K UHD 4-Port HDMI Switch
with Remote

- Connect and switch between 4 HDMI inputs on 1 HDMI enabled HDTV or display
- Supports video resolutions of up to 2160p
- No power adapter required - powered by the connected HDMI devices
- HDMI 2.0 and HDCP 2.2 compatible

Accessories



GVFHF6 VGA to HDMI Converter with Audio

- Converts VGA signal to HDMI with audio output
- Great video quality at Full HD
- Adjustable screen position
- Multi-platform support
- Dual power with external power adapter included



GMDPHD4KA/GDPHD4KA Active Mini DisplayPort/ DisplayPort to HD Adapter with 4K Support

- Supports 4K Ultra High Definition (UHD) resolutions of up to 3840 x 2160
- Supports up to 8 channels of LPCM and High Bit Rate (HBR) audio formats
- Compatible with AMD® Radeon™ Eyefinity Graphics Processing Units



GDPHDW6/GDPDVIW6/GDPVGAW6 DisplayPort to HD/DVI/VGA Adapter Cable

- Converts your DisplayPort to HDMI/DVI/VGA so you can connect to your HDMI/DVI/VGA projector, TV or monitor
- Compliant with DisplayPort Specification 1.1a
- Supports full DisplayPort link tracking



GMDPHD6/GMDPDVIW6/GMDPVGAW6 Mini DisplayPort to HD/DVI/VGA Adapter Cable


- Converts your Mini DisplayPort to HDMI/DVI/VGA so you can connect to a HDMI/DVI/VGA projector, TV or monitor
- Compliant with Mini DisplayPort Specification 1.1a
- Supports full Mini DisplayPort link tracking



GKB635W

Wireless Smart TV Keyboard with Trackball


- 2.4GHz offers range up to 35 ft. from your computer
- Optical trackball, built-in left/right mouse buttons and scroll wheel
- For Smart TVs that support keyboard and mouse functions
- Supports Xbox and PlayStation game consoles
- Adjustable built-in cursor speed with optical trackball with 600, 1000, and 1600 cpi selections



GKM562R

Wireless 2.4GHz Multimedia Keyboard with Touch Pad

- Wireless keyboard featuring combination of track pad, QWERTY keys and multimedia control keys
- 2.4GHz technology offers greater range up to 33 feet away from your computer
- 4.5 inch touch pad with high quality capacitor sense technology and built-in left and right mouse keys




Mobility

GEAR POWER™ GearPower Family

GPAWC72W

USB-C 72W 4-Port Charger

- Centralized charging station for your USB mobile devices
- Charge (1) USB-C and (3) USB-A devices simultaneously
- Intelligent design provides just the right power for your devices
- Built-in protection against overcurrent and overvoltage
- Full range 100-240VAC voltage support



GPACML01

DuoLinq™ 2-in-1 Car Charger

- Built-in DuoLinq™ 2-in-1 charging cable (Micro USB + Lightning)
- 2.4A output rapid charges all Apple Lightning™ equipped devices or Android devices
- Additional 5V 1A USB charging port
- Flexible 1m (3.3ft) length cable and strain relief connector for maximum durability



GPAC2U4Q

GearPower Quick Charge 3.0 Car Charger


- Dual USB outputs allow simultaneous charging of tablets and/or smartphones
- Red USB Port: QC3.0 compliant standard
- White USB Port: 5V 2.4A with SmartIQ



GPAC3C12

GearPower USB-C™ Car Charger


- USB-C (5V 3A) output allows charging of USB-C tablets and/or smartphones
- Additional 5V 1A USB charging port



GMP10K

GearPower USB-C™ 10,000mAh Mobile Power Station

- 10,000mAh
- Dual USB outputs: USB-C (3A) + USB-A (2.4A)
- Smart Charging USB-A port detects how much power your device needs and adjusts the output accordingly
- Compatible with iPhone, Android and Windows devices



GMP16K

GearPower 16,000mAh Capacity Mobile Power Station

- 16,000mAh
- Dual USB outputs: 2.4A+1A
- Compatible with iPhone, Android and Windows devices

Input Devices



GKB632B

Slim Multi-Link Bluetooth Keyboard with Stand

- Multi-Link: Pair up to 4 Bluetooth devices including tablets, smartphones and Apple TV
- 14 built-in hotkeys for easy access to your favorite Android and iOS functions
- Bluetooth 3.0 technology allows you to use the keyboard from up to 33ft away
- Included pocket folding stand for smartphones and tablets

GSTYA100

PenScript™ Active Stylus for Smartphones and Tablets

- Up to 12 hours of continual usage on a single AAA battery
- Easy setup - no pairing or additional software needed
- Works with the most popular note-taking apps such as Evernote, Paper by FiftyThree, Procreate, etc.




USB On-The-Go (OTG)

What is OTG?

USB OTG is a supplemental USB 2.0 specification which adds host functionality to mobile devices and enables the connection of USB peripherals.

With OTG enabled mobile devices, you can now directly connect to printers, scanners, memory card readers, and mass storage devices, etc. without the need for a computer.



GFR3C12

USB-C Duo Card Reader/Writer

- Easily transfer files between mobile devices and computers
- Works with USB-C Android OS devices
- USB On-The-Go (OTG) technology for mobile devices
- 2-in-1 SD and MicroSD card reader
- USB-C and USB Type-A connectors



GOFRH202

GoFor2+ USB OTG Card Reader Plus Hub for Mobile Devices

- SD/microSD card reader plus built-in 3-port USB hub designed for use with USB OTG compliant smartphones and tablets
- Supports SDXC/microSDXC cards and USB flash drives



GOFR214

GoFor2 USB OTG Card Reader for PC/Mac & Mobile Devices

- SD/microSD card reader designed for use with USB OTG compliant smartphones and tablets
- Use the Micro USB end for OTG devices, and the USB end for PC & Mac computers
- Supports SDXC/microSDXC cards

Charge & Sync Cables



G2LU3CCM01 / G2LU3CCM02

Charge & Sync USB-C™ to USB-C™ Cable, 3.3ft (1m), 6.5ft (2m)

- Charges USB-C devices at up to 3A power output
- Compatible with all USB-C smartphones and tablets
- Sturdy and tangle-free design - suited with a braided-nylon fiber cable jacket



GUML01-GLD / GUML01- SIL /
GUML01- SG / GUML01-RG

DuoLinq™ 2-in-1 Charge & Sync Cable, 3.3ft (1m)

- Our Reversible USB connector eliminates the frustration of plugging the USB on the wrong side
- Compatible with all Micro USB devices
- Includes Lightning adapter to charge and sync iOS devices
- Sturdy and tangle-free design - suited with a braided-nylon fiber cable jacket



GAUL01-GLD / GAUL01-SIL /
GAUL01-SG / GAUL01-RG

Charge & Sync Flip™ Pro Reversible USB to Lightning Cable, 3.3ft (1m)

- Our Flip™ Reversible USB connector eliminates the frustration of plugging the USB on the wrong side
- Compatible with all Apple® Lightning devices
- Braided-nylon fiber jacket increases durability



GRUL01-GR / GRUL01-BL /
GRUL01-PK / GRUL01-WT

Charge & Sync Flip™ Reversible USB to Lightning Cable, 3.3ft (1m)

- Our Flip™ Reversible USB connector eliminates the frustration of plugging the USB on the wrong side
- Compatible with all Apple® Lightning devices
- Variety of colors to match your phone and personal style



GPUL01 (3.3ft / 1m) / GPUL02 (6.5ft / 2m) /
GPUL03 (9.8ft / 3m)

Charge & Sync Pro USB to Lightning™ Cable

- Compatible with all Apple® Lightning devices
- Cotton/nylon fiber weave cable jacket for increased durability
- Molded connectors with double-bonded strain relief for maximum cable life
- Oversized conductor diameter provides better power transfer



GAMU01

Charge & Sync Flip Pro, Reversible USB to Reversible Micro USB Cable (3.3ft/1m)

- Our Flip™ Reversible USB connector eliminates the frustration of plugging the USB on the wrong side
- Reversible Micro USB connector
- Sturdy and tangle-free design - suited with a braided-nylon fiber cable jacket
- Small, anodized aluminum connectors that can fit most smartphone / tablet cases

"Made for iPod," "Made for iPhone," and "Made for iPad" mean that an electronic accessory has been designed to connect specifically to iPod, iPhone, or iPad, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, iPhone, or iPad may affect wireless performance. iPad, iPhone, iPod nano and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Lightning is a trademark of Apple Inc.



Thunderbolt™ 3



GTD735

Quantum Thunderbolt™ 3 Docking Station Pro 85

- 5K Resolution or dual 4K resolution*
- DisplayPort video output (4K@60Hz)
- Up to 85W Power Delivery pass-through
- Thunderbolt 3/USB-C expansion port
- 40Gbps data bandwidth
- USB-C port (USB 3.1 Gen1)
- 2 x USB 3.1 Type-A port with BC1.2 fast charging
- Gigabit Ethernet port
- 3.5mm audio input and output




*Maximum resolution of one 5K or dual 4K is dependent on the capability of the video display and its computer source



GTD300

Thunderbolt™ 3 Travel Dock

- Supports up to 40 Gbps
- Dual 4K Ultra HD (UHD) via HDMI and DisplayPort or single 5K Resolution
- Tuck-away Thunderbolt 3 cable adapter



GTC3DEU

Thunderbolt™ 3 to eSATA and USB Adapter

- Supports up to 40 Gbps
- Tethered Thunderbolt 3 cable
- 1x USB A port (up to 10Gbps)
- 1x eSATA port (up to 6Gbps)



GTC3DHD

Thunderbolt 3 to Dual 4K HDMI Adapter

GTC3DDP

Thunderbolt 3 to Dual 4K DisplayPort Adapter

- Connect up to 2 4K monitors
- Windows and OS X compatible



GT3CP5 (1.6 ft.)



Thunderbolt™ 3 Cable 40 Gbps

GT3C01 (3.3 ft.)/GT3C02 (6.6 ft.)

Thunderbolt™ 3 Cable 20 Gbps

- Certified by Thunderbolt Organization
- Power delivery up to 100W (20V@5A) using an E-marker chip USB-C port (USB 3.1 Gen1)

USB-C



GUD3C05

USB-C™ Docking Station with Power Delivery 3.0

- Dock up to 11 devices; includes memory card readers
- Charge docked laptop w/ up to 100W of power
- Stays connected when disconnecting power supply
- Stylish, ultra slim docking station design
- Silicon rubber pad prevents laptop scratches or slipping
- Versatile video options: HDMI (4K), Mini DisplayPort (4K) & VGA



GUD3C06

USB-C™ Travel Dock with Power Delivery 3.0

- 8-in-1 Travel-size USB-C docking station for mobile professionals
- Charge laptop & devices with up to 100W pass-through
- Connect an HDMI display and enjoy HD audio and video resolution to 4K
- SD/MicroSD card reader/writer supports memory expansion
- 3x USB 3.0 ports; 1x BC1.2 charging port (1.5A)
- Gigabit Ethernet Data Port



GUD3C01

USB-C™ Docking Station with Power Delivery


- Supports Power Delivery 2.0 (PD 2.0) specification up to Profile 4 (20V/3A, 20V/1.8A, 12V/3A, 5V/3A)
- Supports DisplayPort Multi-Stream Transport (MST) with single, mirror, and extend mode
- Integrated Gigabit Ethernet port (RJ-45) - Supports 10/100/1000BASE-T
- Audio line-in/line-out port for microphone input and audio line output
- Additional USB-C™ data port with 5V/3A power support



GUD3C03

Compact USB-C Docking Station with Power Delivery Pass Through

- USB-C Connection to Laptop Host
- HDMI, mDP, VGA Video Output
- 4K Resolution via HDMI or mDP
- USB-C PD-Pass Thru up to 60W
- Card Reader (SD/SDHC/SDXC)
- Audio in/out port (3.5mm)
- USB 3.0 x 3
- GbE LAN Port



GUD3C02

USB-C™ Ultra-Slim Dual Display Docking Station with Power Delivery Pass Through

- Connect up to 10 devices
- USB-C Connection to Laptop Host
- HDMI, mDP, VGA Video Output
- 4K Resolution via HDMI or mDP
- USB-C PD-Pass Thru up to 60W
- Card Reader (SD/SDHC/SDXC)
- Audio in/out port (3.5mm)
- USB 3.0 x 3
- GbE LAN Port




GUC3CMST
USB-C™ Dual-Monitor
Portable Dock

- Transform your USB-C device to a dual monitor workstation
- Supports single 4K or dual HD monitor output
- Compatible with DisplayPort™ v1.2 /1.1a
- Integrated 1-port USB 3.1 Gen1 Type-A hub
- Bus-powered & single USB-C cable designs with low power indicator



GUC3CHD22
USB-C™ to 4K Dual HDMI Adapter

- Connect a USB-C laptop to two 4K@30Hz HDMI displays
- Enjoy High Definition audio via HDMI
- Aluminum housing provides a durability for travel
- USB Bus-powered
- Compatible with Thunderbolt 3-enabled computers



GUH3C22P
USB-C™ to USB-A & USB-C Hub
with Power Delivery 3.0

- Ultra-fast 10 Gbps data transfer rate
- 2 x USB-C ports; 1 charges up to 100W via power pass-through
- 2 x USB-A ports; 1 supports BC1.2 (1.5A) charging port
- Compatible with Thunderbolt 3 (USB-C) laptops and tablets



GUH3C4PD

**USB-C™ to 4 Port USB-A Hub
with Power Delivery Pass-Thru**

- Connect up to four USB 3.0 Types-A devices to your USB-C computer
- SuperSpeed USB 3.0 data transfer rate of up to 5Gbps
- UP to 3.75W for each USB-A Port when USB-C charger is connected
- Power Delivery up to 60W from laptop's USB-C charger



GUH3C84PD

**USB-C™ to SD/MicroSD USB-A
Adapter with Power Delivery
Pass-Thru**

- SD and Micro SD Card Reader/Writer
- USB-C downstream port x 1 (5Gbps)
- USB Type-A port x 2 (5Gbps)
- Power Delivery up to 60W from laptop's USB-C charger



GUH3C3PD

**USB-C™ 4-in-1 4K Multiport Adapter
with Power Delivery Pass-Thru**

- 4K HDMI Video Resolution of up to 3840x2160@30HZ
- Gigabit Ethernet LAN Port x 1
- USB-C downstream port x 1(5Gbps)
- USB Type-A port x 1 (5Gbps)
- Power Delivery up to 60W from laptop's USB-C charger



GUH3C44

USB-C™ 4-in-1 Video Adapter


- Connect your USB-C or Thunderbolt™ 3 based notebook, Ultrabook™ or tablet to a HDMI® / VGA display or projector
- USB-C to HDMI, VGA, USB Type-A, and Ethernet



GUH3C34

HUB-C Gigaling USB-C™ to USB-A Hub with Ethernet Adapter

- Bring Gigabit network speed (10/100/1000Mbps) to devices without an Ethernet port using USB-C connection
- Connect up to 3 USB 3.0 devices to your USB-C computer
- Powered by USB, no external power supply needed
- Perfect travel companion for the new MacBook®, Chromebook Pixel™ or other USB-C devices



GUC3C01

GigaLinq Pro - USB-C™ 3.1 to Gigabit Ethernet Adapter

- Bring Gigabit network speed (10/100/1000Mbps) to devices without an Ethernet port using a USB-C connection
- Powered by USB, no external power supply needed
- Perfect travel companion for the new MacBook®, Chromebook™ Pixel or other USB-C devices
- Compact design slips easily into any computer bag, backpack, or briefcase



GUH3C24P

HUB-C - USB-C™ to 4-Port USB-A Hub with Power Adapter

- Connect up to 4 USB 3.0 devices to your USB-C computer
- SuperSpeed USB 3.0 data transfer rate of up to 5Gbps
- Backwards compatible with USB 2.0 and 1.1
- 5V4A full-range AC power adapter
- US, EU, UK and AU prongs included



G2LU3CHD02

USB-C™ to HDMI Cable

- Easily connect a USB-C laptop to a 4K HDMI display
- Enjoy stunning Ultra HD 4K video at resolutions to 3840 x 2160 @ 60Hz
- Compatible with USB-C & Thunderbolt® laptops and tablets*
- A single cable solution - No additional cables needed
- Reversible design provides quick, easy plugging
- Backwards compatible with 1080p HDMI displays



GSR205

USB-C CAC Reader (TAA compliant)

- USB-C CAC (Smart Card) Reader
- Ideal for government, military, healthcare or banking
- Secured access to restricted networks
- Minimized misalignment errors
- PIV compatible



* Software driver may be needed to achieve maximum speed.
Actual speed may be dependent on system environments.



GFR3C15

USB-C™ 3-in-1 Card Reader/Writer

- 3-in-1 USB-C flash memory card reader and writer
- USB 3.1 for maximum speed performance
- UHS-II SDXC Speed of up to 312MB/s Read & 260MB/s Write
- SD, SDHC, and SDXC cards are supported in UHS-I mode up to 104MB/Sec
- Supports SDXC (up to 2TB), SDHC, SD, CF, High-Speed CF (UDMA), Micro SDXC, Micro SDHC, Micro SD Cards
- Works with Thunderbolt 3



GFR3C13

USB-C™ 3-Slot Card Reader/Writer

- 3-in-1 USB-C card reader and writer
- USB 3.1 for maximum speed performance
- Backwards compatible with USB 2.0
- Supports SDXC (up to 2TB), SDHC, SD, Micro SDXC, Micro SDHC, Micro SD Cards CF, High-Speed CF (DUMA)
- SD, SDHC, and SDXC cards are supported in UHS-I mode up to 104MB/Sec
- Hot-Swappable
- USB Bus Powered

GUC3CHD/GUC3CVGA/GUC3CDVI
USB-C™ to DVI/HD/VGA Adapter

- Connect a DVI/HDMI/VGA based display through a USB-C port
- Compatible with the latest USB-C based desktops, notebooks and tablets including Apple MacBook®, Chromebook™ Pixel and the Nokia N1 tablet
- Supports video resolutions of up to 4K (3840x2160)
- USB 3.1 Gen 1 compliant


Mac, Macbook and the Mac logo are trademarks of Apple Computer, Inc. registered in the U.S. and other countries. Chromebook is a trademark of Google Inc. USB Type-C™ and USB-C™ are trademarks of USB Implementers Forum.



G2LU3CAF10-GLD
G2LU3CAF10-SIL
G2LU3CAF10-SG

Charge & Sync USB-C™ to USB Type-A Adapter

- Connect USB Type-A accessories to a USB-C enabled system
- Anodized aluminum shell provides superior durability over the standard USB-C adapter
- Compatible with new MacBook® and Chromebook™ Pixel
- Heavy duty, tangle free design - suited with a braided-nylon fiber cable jacket
- 1.5A charging output and up to 5Gbps data transfer speed



G2LU3CCM01E USB-C™ to USB-C™ USB-IF Certified Emark Cable

- For use with USB-C data transfer and power delivery
- USB 3.1 Gen2 supporting up to 10Gbps
- Power delivery of up to 5A (100W)
- USB-IF certified with E-mark on both connectors



G2LU3CAM01-WT Charge & Sync Flip™ Pro USB-C™ to Reversible USB-A Cable

- Connect your USB-C devices to standard USB-A devices
- Our flip / reversible USB connector eliminates the frustration of plugging the USB-A on the wrong side
- Anodized aluminum shell provides superior durability over the standard USB-C cable
- Heavy duty, tangle-free design – suited with a braided-nylon fiber cable jacket
- Charges USB-C devices at up to 3A power output

Thunderbolt 2



GTD720

Thunderbolt™ 2 Docking Station

- Operates at a rate of up to 20Gbps with Thunderbolt 2
- Supports 4K (UHD) video output and high-speed file transfer simultaneously
- Supports dual displays for HDMI and Thunderbolt display monitors
- Ability to connect up to 8 devices directly to the dock and daisy chain up to 4 additional Thunderbolt devices plus 1 Thunderbolt monitor Dedicated USB charging port
- Optical audio line-in/line-out






GTD732

Thunderbolt™ 2 KVM / Docking Station

- Share your peripherals and Thunderbolt 2 devices between 2 computers
- Supports 4K (UHD) 3840x2160 resolution
- Supports dual displays with HDMI and Thunderbolt 2 monitors
- Daisy chain up to 4 additional Thunderbolt devices plus 1 Thunderbolt monitor
- Ability to connect up to 11 devices and peripherals directly to the dock
- Integrated 3-port USB 3.0 and 2-port USB 2.0 hub for external USB drives, cameras and phones
- Optical audio-in/ audio-out port provides 5.1 digital audio editing and playback capabilities
- Gigabit Ethernet port (RJ-45)
- eSATA interface

GTC01-BK/GTC02-BK

Thunderbolt™ Cable – 3.3ft (1m) / 6.8ft (2m) Black



- Operates at up to 20Gbps with Thunderbolt™ 2
- Supports raw 4K video file transfer and display simultaneously
- Daisy chain up to 6 Thunderbolt devices
- Dual channel, bi-directional data transfer
- Transfer a full-length HD movie in less than 30 seconds
- Add 1TB backup in less than 5 minutes

USB 3.0



GUD310 met(AL) USB 3.0 Docking Station

- Great expansion solution for computers with extra connectivity demand
- USB 3.0 HUB + USB charger + USB 2.0 HUB + USB 3.0 to HDMI adapter + USB 3.0 to DVI adapter + USB3.0 to HDMI and DVI dual output adapter + USB 3.0 to Gigabit LAN adapter + HDD docking station
- Gigabit Ethernet network: 1000Mbps/100Mbps/10Mbps
- 2 video output ports:
 - > HDMI (HDCP) with audio + video (resolution: 2048x1152)
 - > DVI with video (resolution: 2048x1152)



GUH326 6-Port Super-Speed USB 3.0 Hub

- 6-Port Super-Speed USB 3.0 hub with up to 5Gbps data transfer rate plus mobile device charging
- High-current hub processor with up to 1.3A charging*
- Up to 10x faster than USB 2.0
- Charge and sync tablets including iPad**
- Compatible with Microsoft Windows®, Mac or Linux OS
- Plug-N-Play

*4 smartphones/tablets is the maximum number of devices that can be charged simultaneously using the GUH326

**Simultaneous charge and sync compatible with Lightning connector equipped models only



GUS432/GUS434 2x4/4x4 USB 3.0 Peripheral Sharing Switch

- Share four USB peripheral devices between 2 / 4 computers
- Easily switch devices from one computer to another with the press of a button
- LED indicates which computer is active and over-current protection
- Supports hot-plugging which allows you to easily add or remove computers connected to the installation without having to power down the switch

Input Devices



GME435G

GME430R

GME435G GreenPoint Pro

GME430R RedPoint Pro

2.4GHz Gyroscopic Presentation Mouse with Laser Pointer

- Control presentations and computer cursor at the same time
- Use the built-in laser to focus on key parts of your presentation
- Gyroscopic sensor controls the cursor with hand motion
- 2.4GHz provides long range wireless control up to 65ft
- Easily switch between gyro and direction pad cursor control

GME430R Class 2 red laser

GME435G Class 3a super-bright green laser visible even in sunlight



GKM553R

Quietus™ RF Desktop Wireless Keyboard and Mouse Combo

- 2.4 GHz wireless connection- up to 33ft
- 1000 dpi resolution wireless optical mouse
- Low-profile Quietus™ keys
- 12 multimedia hotkeys for quick access to your music, e-mail, browser and more
- 10 million cycle keystroke life

GKM552R

Long Range 2.4 GHz Wireless Keyboard and Mouse Combo

- 2.4 GHz wireless keyboard and mouse use from up to 33ft
- Spill-Resistant/SpillProof: accidental liquid spills and splashes will harmlessly drain out of your keyboard
- Precision ergonomic 5-button mouse
- Adjustable dpi: 1000 / 1500 / 2000 dpi



Networking


Wi-Fi



GWU627

Universal Wi-Fi N Adapter - Ethernet to Wi-Fi N

- Add High-Speed 802.11n Internet Access to Any Ethernet Enabled Device Such as a Blu-Ray Player, TIVO, HDTV, Game Console or Media PC
- Compatible Network Standards: IEEE 802.11n (Up to 150Mbps) IEEE 802.11g (Up to 54Mbps) IEEE 802.11b (Up to 11Mbps)
- Avoid long stringing cable and enjoy the freedom to access your Ethernet enabled devices wirelessly
- Push-button Wi-Fi Protected Setup™ (WPS)



GWU637

Universal Wi-Fi N Adapter - Ethernet to Wi-Fi N 300Mbps

- Wirelessly connect any Ethernet enabled device to the Internet
- Turn legacy electronics, printers, VOIP into high speed Wi-Fi enabled devices
- Supports data transfer speeds of up to 300Mbps
- Push-button Wi-Fi Protected Setup™ (WPS) simplifies secure connections to existing Wi-Fi networks
- Supports WEP, WPA, WPA2, TKIP and AES encryption

Bluetooth




GBU521

Bluetooth 4.0 USB Micro Adapter

- Allows any computer with a USB port to become a Bluetooth enabled computer*
- Wirelessly communicates with Bluetooth-enabled computers, printers, tablets, cell phones, headsets, and more
- Ultra-low power consumption
- Supports dual-mode and Bluetooth Low Energy

* Refer to the system requirements for the Computer



GBU522

Bluetooth 4.0 Dual-Mode USB Mini Adapter

- Add Bluetooth connectivity to your desktop or laptop via a USB port
- Connects Bluetooth-compatible devices at distances of up to 49 ft. (15 meters)
- Dual-mode supports higher data rates, longer ranges and low power consumption
- Intelligently switches modes to support a wider variety of applications and devices
- Compatible with Bluetooth 4.0 Low Energy and Bluetooth 3.0 "classic"

* Refer to the system requirements for the Computer




GBC232A

Bluetooth Serial Adapter

- Connect wirelessly via Bluetooth to a Serial RS-232 port connected device
- Bluetooth 2.0 with Enhanced Data Rate (EDR)
- Bluetooth Class 1 Radio transmits and receives data up to 330ft (100m)
- Configurable baud rate (9600 to 921600) DB (9-pin)
- Supports both DCE and DTE devices
- Supports Bluetooth Serial Port Profile (SPP)

EDR

330ft



KVM & KVMP

Crash Cart Adapter



GUC211VKIT

GUC211V

GUC211VKIT (with DisplayPort, HDMI, and DVI adapters)


Portable Laptop Console Crash Cart Adapter (TAA)

- Provides direct Laptop-to-Computer desktop access
- Programmable macros and hotkeys
- Plug-N-Play - No additional software needed
- Bi-directional file transfer between connected laptop and computer
- Supports DisplayPort, HDMI, and DVI interface with IOGEAR's display adapters
- BIOS level access



Plug-N-Play

Unlike other crash cart adapters, the IOGEAR Portable Laptop Crash Cart Adapter does not require any software for operation, making it the perfect Plug-N-Play solution. The 6ft USB cable gives ample distance to work in between the target computer and your laptop. This makes it easy to jump from computer to computer in fast-paced environments.



Complete Control with Expanded Toolbar Menu

Take complete control of your target computer by taking advantage of the expanded toolbar menu, covering options from video and screen capture, scaling, mouse pointer adjustment, on-screen keyboard setup, hotkey and macros configuration, and firmware upgrade.



Desktop KVM



GCS62DP

2-Port DisplayPort KVM

- Control 2 computers using a single keyboard, mouse, and DisplayPort monitor
- Superior video quality – up to 4K UHD (3840x2160@60Hz)
- DisplayPort 1.2 compliant, HDCP compliant
- Computer selection via hotkeys, mouse, or console selection button



GCS52DP

2-Port USB DisplayPort Cable KVM Switch

- Switch between 2 DisplayPort computers from a single keyboard, mouse, and DisplayPort monitor
- Up to 4K UHD (3840x2160@30Hz)
- Computer switching via remote switch button
- Built-in cables

*MST requires two monitors capable of DisplayPort 1.2 daisy chaining, or use of a powered DisplayPort MST Hub. PC Source must be DisplayPort 1.2 compliant. A DisplayPort 1.1a monitor can be the last monitor in a DP1.2 chain

**Dual-Mode DisplayPort (DP++) requires an active or passive adapter depending on the video source's DP++ compatibility. DP++ active adapters are recommended if you are unsure of the video source's DP++ compatibility



GCS1942/GCS1944

2/4-Port 4K Dual View DisplayPort KVMP Switch with USB 3.0 Hub and Audio (TAA)

- Share dual true 4K dual DisplayPort monitors (4096 x 2160 @60Hz)
- Operate 2/4 DisplayPort computers with 1 keyboard, mouse, and 2 monitors
- Expand up to 4 true 4K DisplayPort monitors when connecting 2 GCS1942/ GCS1944 via 1 RJ-45 cable
- DisplayPort 1.2 compliant, HDCP compliant



GCS1902/GCS1904

2/4-Port 4K UHD DisplayPort KVMP Switch with USB 3.0 Hub (TAA)

- Control 2/4 computers using a single keyboard, mouse, and DisplayPort video console
- Superior video quality – 4K UHD (3840x2160 @ 30Hz)
- DisplayPort 1.1 compliant & HDCP compliant
- 2-Port USB 3.0 Hub with SuperSpeed 5Gbps transfer rate



GCS1932M/GCS1934M

2/4-Port 4K DisplayPort KVMP Switch with Dual Video Out and RS-232 (TAA)

- 2-Port 4K DisplayPort KVMP Switch with Dual Video Output and RS-232
- Control and switch 2/4 computers with one keyboard, mouse, and monitor(s)
- Expand one DisplayPort input to two video outputs (DisplayPort/HDMI)
- With DisplayPort 1.2 Graphic Cards:
1 Monitor: Up to 5K Resolution, 2 Monitors: Up to 4K UHD (DisplayPort/HDMI)



GCS1932/GCS1934

2/4-Port 4K DisplayPort KVMP Switch with USB 3.1 Gen 1 Hub and Audio (TAA)

- Share a DisplayPort monitor, keyboard, mouse, and speakers between 2/4 USB interfaced DisplayPort computers
- Superior video quality – 4K (4096x2169@60Hz)
- DisplayPort 1.2 compliant, HDCP compliant
- USB 3.1 Gen1 hub with SuperSpeed 5Gbps transfer rate minimizes users wait time when sharing USB peripherals
- Supports Multi-Stream Transport (MST)*
- Supports Dual-Mode DisplayPort (DP++)**

Secure KVM



Ensure High-Level Desktop Security, Protection & Data Safekeeping

IOGEAR's new Secure KVM Switches are certified with the latest NIAP/Common Criteria protection profile for peripheral sharing switches version 3.0 provide maximum information security while sharing a single keyboard, mouse, speaker set and CAC reader. Control up to 8 computers and utilize a single or dual view monitors with up to 4K UHD quality.

PC Video Connection		DisplayPort		HDMI		DVI	
Console Video Connection		HDMI		HDMI		DVI	
Number of Display		1	2	1	2	1	2
Source Device	2	GCS1412TAA3	GCS1422TAA3	GCS1312TAA3	GCS1322TAA3	GCS1212TAA3	GCS1222TAA3
	4	GCS1414TAA3	GCS1424TAA3	GCS1314TAA3	GCS1324TAA3	GCS1214TAA3	GCS1224TAA3
	8	GCS1418TAA3	GCS1428TAA3	GCS1318TAA3	GCS1328TAA3	GCS1218TAA3	GCS1228TAA3
Resolution Source Device		3840 x 2160 @30Hz (UHD)		3840 x 2160 @30Hz (UHD) 1920 x 1080 (FHD)		3840 x 2160 @30Hz (UHD)* 2560 x 1600 DVI Dual-Link 1920 x 1200 DVI Single-Link 2048 x 1536 DVI-A	
CAC Function		Yes					
Switching Method		Push Button					
Keyboard / Mouse		USB; PS/2					
Speaker (analog)		Yes					
Microphone		No					

* IOGEAR Single and Dual View DVI Secure KVM Switch offer 3840 x 2160 @30Hz video output on compatible HDMI-interfaces monitors and/ or computers used with IOGEAR DVI-to-HDMI KVM cables.

LCD KVM



GCL1808/GCL1816/GCL1908/GCL1916

8/16-Port 17"/19" LCD KVM Drawer

- 8/16-Port 17"/19" LCD KVM Drawer Integrated 8/16-port KVM console featuring a 17"/19" TFT LCD active matrix monitor, keyboard and touchpad
- 1280x1024 resolution on 17"/19" rack mount LCD provides a sharp video display
- Easy to operate - computer selection via front panel pushbutton LEDs, intuitive OSD (on-screen display) and hotkeys
- External USB or PS/2 with VGA console port



Rack Mount KVM



GCS1808/GCS1716

GCS1808KIT/GCS1808KITU/GCS1808KITP (w/cables)

GCS1716KIT/GCS1716KITU (w/cables)

8/16-Port USB PS/2 Combo KVMP Switch

- Share one VGA monitor, keyboard, mouse, and a USB peripheral between 8/16 USB or PS/2 computers
- Easy to operate - computer selection via front panel pushbuttons, intuitive OSD (on screen display), and hotkeys
- Security - 2 level password protection for OSD
- Maximum video resolution: up to 2048x1536
- Multi platform OS support - Windows®, Mac, Sun Solaris™, Linux®



Gaming

Adapter for Game Consoles

GE1337P / GE1337PKIT (w/ GKM602R)

KeyMander™ - Keyboard & Mouse Adapter for Game Consoles

KeyMander supports Xbox One X, Xbox One S, Xbox One, Xbox 360®, PS4™ and PS3™ game consoles.

- Play any console game with your mouse and keyboard
- Create or download custom profiles to optimize your experience for each game
- Program custom key mappings and mouse button assignments
- Connect a laptop, smartphone or tablet while gaming to change/test settings on-the-fly
- Online user forum with profiles for most popular FPS games



KEYMANDER Forum

**Join
Now**

KEYMANDER.IGGEAR.COM

PlayStation® is a registered trademark of Sony Computer Entertainment Inc. Also, PS3™ and PS4™ are trademarks of the same company. This product is not manufactured, sponsored, licensed or distributed by Sony Computer Entertainment Inc. Xbox® is a registered trademark of Microsoft Corporation in the United States and/or other countries. This product is not manufactured, sponsored, licensed, or distributed by Microsoft Corporation.

Keyboards



GKB720RGB-BN/GKB720RGB-RD
HVER™ PRO
RGB Mechanical Gaming Keyboard

- Full mechanical keyboard with Brown or Red switches
- RGB per-key backlighting with 18 lighting patterns
- Software GUI for custom backlight and macro functions
- All anti-ghosting keys with full N-key rollover
- Brushed aluminum chassis with floating key design



GKB710L/GKB710L-RD/GKB710L-BN
MECHLITE™
Mechanical Gaming Keyboard

- Full mechanical keyboard with Blue, Brown or Red switches
- Blue LED backlight with 6 lighting patterns
- 5 Programmable macro keys with up to 32 characters each
- All anti-ghosting keys with full N-key rollover
- Double injected keycap characters never wear off



GKB704RGB
HVER™
RGB-Aluminum Gaming Keyboard

- RGB multi-zone backlight with multiple lighting patterns
- Programmable keys with user interface software
- 3 User profiles to record macros and set backlighting
- 26 Anti-ghosting keys so you never miss a keystroke!
- Brushed aluminum chassis provides a solid, flex-free platform
- Double injected keycap characters never wear off



GKB704L-BK/GKB704L-WT
HVER™
Aluminum Gaming Keyboard

- 7-Color LED backlight with adjustable brightness
- 26 Anti-ghosting keys so you never miss a keystroke!
- Brushed aluminum chassis provides a solid, flex-free platform
- POM structured plunger keys offer a soft, smooth tactile feel
- Double injected keycap characters never wear off

Keyboard & Mouse Combo



GKM600RGB

KORE™ DUO

RGB Compact Gaming Keyboard and Mouse Combo

- Compact 87-key RGB gaming keyboard
- 19 Anti-ghosting keys so you never miss a keystroke!
- RGB multi-zone backlight with multiple lighting patterns
- 7-button gaming mouse with RGB backlight
- Shift on-the-fly dpi adjust buttons with up to 5000 dpi
- Non-slip grip double injected rubber side panels

Mice / Accessories



GME670

FOKUS™

Pro Laser Gaming Mouse

- 8-programmable buttons with Kaliber Gaming software
- Avago ADNS-9800 laser sensor with up to 8200 dpi
- 128K built-in memory stores up to 5 profiles
- Aluminum body construction
- Programmable LED backlight



GME660

RETIKAL™

Pro FPS Gaming Mouse

- 9-programmable buttons with Kaliber Gaming software
- Pixart PMW 3310 “flawless” optical sensor with up to 5000 dpi
- Sniper button for hyper accurate shots
- 128K built-in memory stores up to 5 profiles
- 4 removable weights for fine tuning mouse balance and feel



Non-Slip Rubber Backing

GGMM1

SURFAS™

Professional Gaming Mouse Mat

- Micro-weave top layer provides ultimate control with any sensor type
- Fully stitched frame resists layer separation
- Non-slip rubber backing keeps pad from moving
- Rolls up for easy travel and tournament use
- Large size: 400mm x 300mm



GGMCS

ELEVATR™

Mouse Cable Manager

- Elevates mouse cable to prevent cable snag or drag
- Perfect mouse accessory for tournament gamers
- Flexible arm removes cable slack
- Mouse moves faster and more freely
- Anti-skid base for stability

Headsets

GHG600

KONVERT™

Universal Gaming Headset

- Universal stereo headset for use with Xbox One X/Xbox One S/Xbox One, PS4, PC/Mac, and 3.5mm mobile devices
- Includes PS4 controller adapter with volume control and mute
- Includes PC adapter with built-in volume control and mute
- Detachable boom microphone for crystal clear chat
- Internal microphone for taking phone calls when the boom mic is removed





15365 Barranca Pkwy, Irvine, CA 92618
Toll Free: 866-9-IOGEAR (866-946-4327)
Phone: 949-453-8782
Fax: 949-453-8785

www.iogear.com

Sales (United States/Canada): sales@iogear.com

Sales (Latin America): latinsales@iogear.com

Sales (Europe): europesales@iogear.com

Sales (Taiwan): taiwan@iogear.com

Sales (Asia-Pacific): asiapacificsales@iogear.com



Specifications subject to change without notice.
©2018 IOGEAR All other trademarks belong to the respective owners.